

API 598 – MSS SP-61 – Declaration of Compliance

We hereby declare that our products:

- Monoblock valves with flanged connections **IBF2** and **IBF3**
- Monoblock valves with threaded connections **IBM2** and **IBM3**
- Monoblock valves for sampling and injection processes **IBS3** and **IBJ4**
- Ball valves **BV**

are inspected and tested in compliance with the following standard:

API STANDARD 598 Valve Inspection and Testing

For further information, do not hesitate to contact us at:


WIKA Instruments Italia s.r.l.
Via Bernarde, 11/1
36047 Montegaldella (VI)
Italy
Tel: +39 0444 635 801
Email: info.valves@wika.com

Signed of behalf of

WIKA Instruments Italia S.r.l.
Montegaldella, 31st May, 2023

WIKA Instruments Italia S.r.l.

Via Bernarde 11/1 - 36047 Montegaldella (VI)
Tel: (+39) 0444 635801 Fax: (+39) 0444 635161
VAT Number: (IT) 03681590281 - Tax Code: 02627500271


Maurizio Carlotto
Operation Quality Manager


Simone Zarantonello
Engineering Manager



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
03.01.2024

Information about the Explosive Atmospheres Directive (ATEX) 2014/34/EU

The new directive regarding equipment in potentially explosive atmospheres [2014/34/UE](#) is effective from March 2014 and replaces the previous 94/9/CE.

The equipment manufactured by WIKAL Instruments Italia **are excluded from the field of application of the directive 2014/34/EU since they do not present potential sources of ignition in themselves** as defined in the Article 1 Par.1 and Article 2 Par.1

Therefore, **the marking “ATEX” is not needed for the following products:**

- | | |
|---|----------------------------------|
| • Needle valves and Manifolds | IV1X – IV2X – IV3X – IV5X |
| • Monoflanges | IVM |
| • Ball valves with bore size smaller than NPS 1”/ DN 25 | BV |
| • Monoblock valves with flange connection | IBF1 – IBF2 – IBF3 |
| • Monoblock valves with threaded connection | IBM1 – IBM2 – IBM3 |
| • Monoblock valves for sampling and injection | IBS – IBJ |
| • Piping ball valves flanged or threaded | PBV-FS |
| • Check valves | CV |
| • High pressure needle valves | HPNV |
| • High pressure ball valves | HPBV |
| • High pressure check valves | HPCV |
| • High pressure fittings, accessories, adapters and couplings | HPFA – HPAC |



For further information, do not hesitate to contact us at:

Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Via Bernarde, 11/1
36047 Montegaldella (VI), Italy
Tel: +39 0444 635 801
E-mail: info.valves@wika.com

Signed of behalf of

Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Montegaldella, January 3rd, 2024



Simone Zarantonello
Technical Manager



Franco Bianucci
Quality Director



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
03.01.2024

**LS 031 6X7 & ASTM G 93 – Declaration of Compliance
(EN 10204 – 2.2)**

We hereby declare that our products:

- | | |
|--|----------------------------------|
| • Needle valves and Manifolds | IV1X – IV2X – IV3X – IV5X |
| • Monoflanges | IVM |
| • Ball valves with bore size less than NPS 1" / DN 25 | BV |
| • Monoblock valves with flange connection | IBF1 – IBF2 – IBF3 |
| • Monoblock valves with threaded connection | IBM1 – IBM2 – IBM3 |
| • Monoblock valves for sampling and injection | IBS – IBJ |
| • Check valves | CV |
| • High pressure needle valves | HPNV |
| • High pressure ball valves | HPBV |
| • High pressure check valves | HPCV |
| • Accessories as brackets, adapters, fittings and tubing | HPFA - HPAC |

are inspected and tested in compliance with the following Standard Practice:

LS 031 6X7 & ASTM G 93 – 03

**Standard Practice for Cleaning Methods and Cleanliness Levels for Material and
Equipment Used in Oxygen-Enriched Environments**

Cleanliness Level

Non-volatile residue remaining: Level C – Less than 6 mg/ft² (66 mg/m²)

Cleanliness Level is yearly checked by Solvent extraction method



For further information, do not hesitate to contact us at:

Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Via Bernarde, 11/1
36047 Montegaldella (VI), Italy
Tel: +39 0444 635 801
E-mail: info.valves@wika.com

Signed of behalf of

Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Montegaldella, January 3rd, 2024



Simone Zarantonello
Technical Manager



Franco Bianucci
Quality Director



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
03.01.2024

ASME VIII Div.1 UG-101 – MSS SP-99 Declaration of Compliance

We hereby declare that our products:

- Needle valves and Manifolds
- Monoflanges
- Ball valves with bore size smaller than NPS 1" / DN 25
- Monoblock valves with flange connection
- Monoblock valves with threaded connection
- Monoblock valves for sampling and injection
- Piping ball valves flanged or threaded
- Check valves

IV1X – IV2X – IV3X – IV5X
IVM
BV
IBF1 – IBF2 – IBF3
IBM1 – IBM2 – IBM3
IBS – IBJ
PBV-FS
CV

fulfil the requirements of the following Standards:

ASME VIII Div.1 UG-101 – MSS SP-99

For further information, do not hesitate to contact us at:

Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy
Tel: +39 0444 635 801 Email: info.valves@wika.com

Signed of behalf of

Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.

Montegaldella, January 3rd, 2024



Simone Zarantonello
Technical Manager



Franco Bianucci
Quality Director

Local unit Pieve San Giacomo
Via Borghisani 4
26035 Pieve San Giacomo (CR) Italy
Tel. +39 0372 6404
sales@gayesco.wika.com
Commercial Registration Number: CR-173105

Local unit Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI) – Italy
Tel. +39 0444 635801
info.valves@wika.com
Commercial Registration Number: MI 2548231

Local unit Bareggio
Viale De Gasperi, 48
20008 Bareggio (MI) – Italy
Tel. +39 02 90361146
sales.pressure-switch.it@wika.com
Commercial Registration Number: MI 2548231



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
03.01.2024

ISO 5208 Rate A – Declaration of Compliance

We hereby declare that our products:

- Needle valves and Manifolds
- Monoflanges
- Ball valves with bore size smaller than NPS 1" / DN 25
- Monoblock valves with flange connection
- Monoblock valves with threaded connection
- Monoblock valves for sampling and injection
- Piping ball valves flanged or threaded
- Check valves
- High pressure needle valves
- High pressure ball valves
- High pressure check valves
- High pressure fittings, accessories, adapters and couplings

IV1X – IV2X – IV3X – IV5X
IVM
BV
IBF1 – IBF2 – IBF3
IBM1 – IBM2 – IBM3
IBS – IBJ
PBV-FS
CV
HPNV
HPBV
HPCV
HPFA – HPAC

are inspected and tested in compliance with the following Standard:

ISO 5208
Industrial valves -- Pressure testing of metallic valves
Maximum allowable closure test leakage rate:
Rate A (No visually detectable leakage for the duration of the test – Liquid and gas)

For further information, do not hesitate to contact us at:

Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy
Tel: +39 0444 635 801 Email: info.valves@wika.com

Signed of behalf of

Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Montegaldella, January 3rd, 2024


Simone Zarantonello
Technical Manager


Franco Bianucci
Quality Director



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
03.01.2024

MSS SP-61 and MSS SP-99 – Declaration of Compliance

We hereby declare that our products:

- | | |
|---|----------------------------------|
| • Needle valves and Manifolds | IV1X – IV2X – IV3X – IV5X |
| • Monoflanges | IVM |
| • Ball valves with bore size less than NPS 1" / DN 25 | BV |
| • Monoblock valves with flange connection | IBF1 – IBF2 – IBF3 |
| • Monoblock valves with threaded connection | IBM1 – IBM2 – IBM3 |
| • Monoblock valves for sampling and injection | IBS – IBJ |
| • Piping ball valves flanged or threaded | PBV-FS |
| • Check valves | CV |

are inspected and tested in compliance with the following Standard:

API STANDARD 598

Valve Inspection and Testing

and Standard Practice:

MSS SP-61

Pressure testing of Valves

(Shell test at 1.5 x MAWP; Seat test at 1.1 MAWP, both for 15 seconds)


For further information, do not hesitate to contact us at:

Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy
Tel: +39 0444 635 801 - Email: info.valves@wika.com

Signed of behalf of

Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.

Montegaldella, January 3rd, 2024


Simone Zarantonello
Technical Manager


Franco Bianucci
Quality Director

Local unit Pieve San Giacomo
Via Borghisani 4
26035 Pieve San Giacomo (CR) Italy
Tel. +39 0372 6404
sales@gayesco.wika.com
Commercial Registration Number: CR-173105

Local unit Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI) – Italy
Tel. +39 0444 635801
info.valves@wika.com
Commercial Registration Number: MI 2548231

Local unit Bareggio
Viale De Gasperi, 48
20008 Bareggio (MI) – Italy
Tel. +39 02 90361146
sales.pressure-switch.it@wika.com
Commercial Registration Number: MI 2548231



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
03.01.2024

Information about the Pressure Equipment Directive (PED) 2014/68/EU

The new Pressure European Directive [2014/68/EU](#) is effective from July 2016 and replaces the old PED 97/23/EC.

According to the Article 4 Par.3 of the directive, pressure equipment and assemblies below or equal to the limits set out in the regulation shall be designed and manufactured in accordance with the **Sound Engineering Practice** of a Member State in order to ensure a safe use.

According to directive, the marking “CE” is not needed for the following products:

- | | |
|---|---------------------------|
| • Needle valves and Manifolds | IV1X – IV2X – IV3X – IV5X |
| • Monoflanges | IVM |
| • Ball valves with bore size smaller than NPS 1”/ DN 25 | BV |
| • Monoblock valves with flange connection | IBF1 – IBF2 – IBF3 |
| • Monoblock valves with threaded connection | IBM1 – IBM2 – IBM3 |
| • Monoblock valves for sampling and injection | IBS – IBJ |
| • Piping ball valves flanged or threaded | PBV-FS |
| • Check valves | CV |
| • High pressure needle valves | HPNV |
| • High pressure ball valves | HPBV |
| • High pressure check valves | HPCV |
| • High pressure fittings, accessories, adapters and couplings | HPFA – HPAC |



For further information, do not hesitate to contact us at:

Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Via Bernarde, 11/1

36047 Montegaldella (VI), Italy

Tel: +39 0444 635 801

E-mail: info.valves@wika.com

Signed of behalf of

Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Montegaldella, January 3rd, 2024



Simone Zarantonello
Technical Manager



Franco Bianucci
Quality Director



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
22.03.2024

**LS 031 6X7 & ASTM G 93 – Declaration of Compliance
(EN 10204 – 2.2)**

We hereby declare that our products:

- | | |
|--|----------------------------------|
| • Needle valves and Manifolds | IV1X – IV2X – IV3X – IV5X |
| • Monoflanges | IVM |
| • Ball valves with bore size less than NPS 1" / DN 25 | BV |
| • Monoblock valves with flange connection | IBF1 – IBF2 – IBF3 |
| • Monoblock valves with threaded connection | IBM1 – IBM2 – IBM3 |
| • Monoblock valves for sampling and injection | IBS – IBJ |
| • Check valves | CV |
| • High pressure needle valves | HPNV |
| • High pressure ball valves | HPBV |
| • High pressure check valves | HPCV |
| • Accessories as brackets, adapters, fittings and tubing | HPFA - HPAC |

are inspected and tested in compliance with the following Standard Practice:

LS 031 6X7 & ASTM G 93 – 03

**Standard Practice for Cleaning Methods and Cleanliness Levels for Material and
Equipment Used in Oxygen-Enriched Environments**

Cleanliness Level

Non-volatile residue remaining: Level C – Less than 3 mg/ft² (33 mg/m²)

Cleanliness Level is yearly checked by Solvent extraction method

For further information, do not hesitate to contact us at:

Local unit Pieve San Giacomo
Via Borghisani 4
26035 Pieve San Giacomo (CR) Italy
Tel. +39 0372 6404
sales@gayesco.wika.com
Commercial Registration Number: CR-173105

Local unit Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI) – Italy
Tel. +39 0444 635801
info.valves@wika.com
Commercial Registration Number: MI 2548231

Local unit Bareggio
Viale De Gasperi, 48
20008 Bareggio (MI) – Italy
Tel. +39 02 90361146
sales.pressure-switch.it@wika.com
Commercial Registration Number: MI 2548231




Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Via Bernarde, 11/1
36047 Montegaldella (VI), Italy
Tel: +39 0444 635 801
E-mail: info.valves@wika.com


Signed of behalf of

Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.

Montegaldella, January 3rd, 2024



Simone Zarantonello
Technical Manager



Franco Bianucci
Quality Director



Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy
Share capital: 2.000.000 €
Fiscal code / VAT number: 06368680960

Local unit:
Montegaldella
Via Bernarde 11/1
36047 Montegaldella (VI)
Italy

Tel. +39 0444635801
info.valves@wika.com
www.wika.com

To Whom it may concern

Date
03.01.2024

Information about the Directive 2015/863/EU (RoHS), on the restriction of the use of certain hazardous substances in electrical and electronic equipment

EU legislation restricts the use of hazardous substances in electrical and electronic equipment (EEE) and promotes the collection and recycling of such equipment.

We hereby declare that our products:

- | | |
|---|----------------------------------|
| • Needle valves and Manifolds | IV1X – IV2X – IV3X – IV5X |
| • Monoflanges | IVM |
| • Ball valves with bore size smaller than NPS 1" / DN 25 | BV |
| • Monoblock valves with flange connection | IBF1 – IBF2 – IBF3 |
| • Monoblock valves with threaded connection | IBM1 – IBM2 – IBM3 |
| • Monoblock valves for sampling and injection | IBS – IBJ |
| • Piping ball valves flanged or threaded | PBV-FS |
| • Check valves | CV |
| • High pressure needle valves | HPNV |
| • High pressure ball valves | HPBV |
| • High pressure check valves | HPCV |
| • High pressure fittings, accessories, adapters and couplings | HPFA – HPAC |

do not fall within the scope of the above mentioned Directive as they cannot be considered EEE, as defined in art.3.

However, when they are assembled with EEE, they can be considered complying to the Delegated Directive **2015/863EU (RoHS3)**.



For further information, do not hesitate to contact us at:

Euromisure WIKA Instruments S.a.s. di WIKA Italia S.r.l.

Via Bernarde, 11/1
36047 Montegaldella (VI), Italy
Tel: +39 0444 635 801
E-mail: info.valves@wika.com

Signed of behalf of

Euromisure WIKA Instruments S.a.s. di WIKA Italia S.r.l.

Montegaldella, January 3rd, 2024



Simone Zarantonello
Technical Manager



Franco Bianucci
Quality Director