



**Euromisure Wika Instruments S.a.s. di Wika Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1

36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
[info.valves@wika.com](mailto:info.valves@wika.com)  
[www.wika.com](http://www.wika.com)

## VALVES FOR GENERIC H2 SERVICE

We hereby declare that our models

**IV1x, IV2x, IV3x IV5x (Needle Valves and Manifolds)**  
**IVM (Monoflanges)**

are suitable for generic hydrogen services under the following conditions:

- NACE certificate for all wetted parts
- PTFE packing
- temperature range -55°C / 210°C (-67°F / +410°F)
- 6.000 psi (420 bar) pressure with ambient temperature

We strongly recommend selecting AISI 316/316L or 1.4401-1.4404 as material for pressure-retaining components.

As a standard, we provide the needle bonnets with the Low Emissions option.


For any other hydrogen application besides this range, or if regulated by a specification or standard, please contact us for a quotation and a feasibility study.

For further information, do not hesitate to contact us at:

**Euromisure Wika Instruments S.a.s. di Wika Italia S.r.l.**  
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801 Email: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed on behalf of*

**Euromisure Wika Instruments S.a.s. di Wika Italia S.r.l.**  
Montegaldella, April 3<sup>rd</sup>, 2024



Simone Zarantonello  
R&D



Sebastian Fabio Agnello  
Vice President Flow Measurement Wika group



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
03.01.2024

### Standard valve testing to MSS SP-61 and MSS SP-99

We hereby inform you that, starting from July 3<sup>rd</sup>, 2023, **WIKAL Valves** will be tested to **MSS SP-61 and MSS SP-99 as standard**.

Testing according to API 598 will still be available upon request, such as testing according to API 6D, DS EN 12266-1, and other customized testing.

The models involved are the following:

- Needle Valves and Manifolds **IV1X – IV2X – IV3X – IV5X**
- Monoflanges **IVM**

The international standard specifications MSS SP-61 and MSS SP-99, include the following tests, which will be performed on 100% of the items:

- **Hydrostatic Seat test**  
applicable only for the shut-off valves, at rating 1,1 x the maximum allowable pressure for 15 seconds. No visible leakage is permitted.
- **Hydrostatic Shell test**  
performed at 1,5 x maximum allowable pressure for 15 seconds. No visible leakage is permitted.

Testing according to MSS SP-61 and MSS SP-99 will allow an optimization of the production process without compromising safety.

For further information, do not hesitate to contact us at:

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801 - E-mail: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Montegaldella, January 3<sup>rd</sup>, 2024



Simone Zarantonello  
Technical Manager



Franco Bianucci  
Quality Director

Local unit Pieve San Giacomo  
Via Borghisani 4  
26035 Pieve San Giacomo (CR) Italy  
Tel. +39 0372 6404  
sales@gayesco.wika.com  
Commercial Registration Number: CR-173105

Local unit Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI) – Italy  
Tel. +39 0444 635801  
info.valves@wika.com  
Commercial Registration Number: MI 2548231

Local unit Bareggio  
Viale De Gasperi, 48  
20008 Bareggio (MI) – Italy  
Tel. +39 02 90361146  
sales.pressure-switch.it@wika.com  
Commercial Registration Number: MI 2548231



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
03.01.2024

### **Information about the Directive 2015/863/EU (RoHS), on the restriction of the use of certain hazardous substances in electrical and electronic equipment**

EU legislation restricts the use of hazardous substances in electrical and electronic equipment (EEE) and promotes the collection and recycling of such equipment.

We hereby declare that our products:

- |                                                               |                                  |
|---------------------------------------------------------------|----------------------------------|
| • Needle valves and Manifolds                                 | <b>IV1X – IV2X – IV3X – IV5X</b> |
| • Monoflanges                                                 | <b>IVM</b>                       |
| • Ball valves with bore size smaller than NPS 1" / DN 25      | <b>BV</b>                        |
| • Monoblock valves with flange connection                     | <b>IBF1 – IBF2 – IBF3</b>        |
| • Monoblock valves with threaded connection                   | <b>IBM1 – IBM2 – IBM3</b>        |
| • Monoblock valves for sampling and injection                 | <b>IBS – IBJ</b>                 |
| • Piping ball valves flanged or threaded                      | <b>PBV-FS</b>                    |
| • Check valves                                                | <b>CV</b>                        |
| • High pressure needle valves                                 | <b>HPNV</b>                      |
| • High pressure ball valves                                   | <b>HPBV</b>                      |
| • High pressure check valves                                  | <b>HPCV</b>                      |
| • High pressure fittings, accessories, adapters and couplings | <b>HPFA – HPAC</b>               |

do not fall within the scope of the above mentioned Directive as they cannot be considered EEE, as defined in art.3.

However, when they are assembled with EEE, they can be considered complying to the Delegated Directive **2015/863EU (RoHS3)**.



For further information, do not hesitate to contact us at:

**Euromisure WIKA Instruments S.a.s. di WIKA Italia S.r.l.**

Via Bernarde, 11/1  
36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801  
E-mail: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKA Instruments S.a.s. di WIKA Italia S.r.l.**

Montegaldella, January 3<sup>rd</sup>, 2024



Simone Zarantonello  
Technical Manager



Franco Bianucci  
Quality Director



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
22.03.2024

**LS 031 6X7 & ASTM G 93 – Declaration of Compliance  
(EN 10204 – 2.2)**

We hereby declare that our products:

- |                                                          |                                  |
|----------------------------------------------------------|----------------------------------|
| • Needle valves and Manifolds                            | <b>IV1X – IV2X – IV3X – IV5X</b> |
| • Monoflanges                                            | <b>IVM</b>                       |
| • Ball valves with bore size less than NPS 1" / DN 25    | <b>BV</b>                        |
| • Monoblock valves with flange connection                | <b>IBF1 – IBF2 – IBF3</b>        |
| • Monoblock valves with threaded connection              | <b>IBM1 – IBM2 – IBM3</b>        |
| • Monoblock valves for sampling and injection            | <b>IBS – IBJ</b>                 |
| • Check valves                                           | <b>CV</b>                        |
| • High pressure needle valves                            | <b>HPNV</b>                      |
| • High pressure ball valves                              | <b>HPBV</b>                      |
| • High pressure check valves                             | <b>HPCV</b>                      |
| • Accessories as brackets, adapters, fittings and tubing | <b>HPFA - HPAC</b>               |

are inspected and tested in compliance with the following Standard Practice:

**LS 031 6X7 & ASTM G 93 – 03**

**Standard Practice for Cleaning Methods and Cleanliness Levels for Material and  
Equipment Used in Oxygen-Enriched Environments**

**Cleanliness Level**

**Non-volatile residue remaining: Level C – Less than 3 mg/ft<sup>2</sup> (33 mg/m<sup>2</sup>)**

Cleanliness Level is yearly checked by Solvent extraction method

For further information, do not hesitate to contact us at:

Local unit Pieve San Giacomo  
Via Borghisani 4  
26035 Pieve San Giacomo (CR) Italy  
Tel. +39 0372 6404  
sales@gayesco.wika.com  
Commercial Registration Number: CR-173105

Local unit Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI) – Italy  
Tel. +39 0444 635801  
info.valves@wika.com  
Commercial Registration Number: MI 2548231


Local unit Bareggio  
Viale De Gasperi, 48  
20008 Bareggio (MI) – Italy  
Tel. +39 02 90361146  
sales.pressure-switch.it@wika.com  
Commercial Registration Number: MI 2548231




**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**  
Via Bernarde, 11/1  
36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801  
E-mail: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**  
Montegaldella, January 3<sup>rd</sup>, 2024



Simone Zarantonello  
Technical Manager

A large, stylized handwritten signature in black ink, featuring a prominent loop and a long horizontal stroke, is positioned above the printed name and title.

Franco Bianucci  
Quality Director

A handwritten signature in black ink, appearing to read "Franco Bianucci", is written over the printed name and title.



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
03.01.2024

### Information about the Pressure Equipment Directive (PED) 2014/68/EU

The new Pressure European Directive [2014/68/EU](#) is effective from July 2016 and replaces the old PED 97/23/EC.

According to the Article 4 Par.3 of the directive, pressure equipment and assemblies below or equal to the limits set out in the regulation shall be designed and manufactured in accordance with the **Sound Engineering Practice** of a Member State in order to ensure a safe use.

According to directive, the marking “CE” is not needed for the following products:

- |                                                               |                           |
|---------------------------------------------------------------|---------------------------|
| • Needle valves and Manifolds                                 | IV1X – IV2X – IV3X – IV5X |
| • Monoflanges                                                 | IVM                       |
| • Ball valves with bore size smaller than NPS 1”/ DN 25       | BV                        |
| • Monoblock valves with flange connection                     | IBF1 – IBF2 – IBF3        |
| • Monoblock valves with threaded connection                   | IBM1 – IBM2 – IBM3        |
| • Monoblock valves for sampling and injection                 | IBS – IBJ                 |
| • Piping ball valves flanged or threaded                      | PBV-FS                    |
| • Check valves                                                | CV                        |
| • High pressure needle valves                                 | HPNV                      |
| • High pressure ball valves                                   | HPBV                      |
| • High pressure check valves                                  | HPCV                      |
| • High pressure fittings, accessories, adapters and couplings | HPFA – HPAC               |



For further information, do not hesitate to contact us at:

**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**

Via Bernarde, 11/1

36047 Montegaldella (VI), Italy

Tel: +39 0444 635 801

E-mail: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**

Montegaldella, January 3<sup>rd</sup>, 2024



Simone Zarantonello  
Technical Manager



Franco Bianucci  
Quality Director



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
03.01.2024

### **MSS SP-61 and MSS SP-99 – Declaration of Compliance**

We hereby declare that our products:

- |                                                       |                                  |
|-------------------------------------------------------|----------------------------------|
| • Needle valves and Manifolds                         | <b>IV1X – IV2X – IV3X – IV5X</b> |
| • Monoflanges                                         | <b>IVM</b>                       |
| • Ball valves with bore size less than NPS 1" / DN 25 | <b>BV</b>                        |
| • Monoblock valves with flange connection             | <b>IBF1 – IBF2 – IBF3</b>        |
| • Monoblock valves with threaded connection           | <b>IBM1 – IBM2 – IBM3</b>        |
| • Monoblock valves for sampling and injection         | <b>IBS – IJB</b>                 |
| • Piping ball valves flanged or threaded              | <b>PBV-FS</b>                    |
| • Check valves                                        | <b>CV</b>                        |

are inspected and tested in compliance with the following Standard:

#### **API STANDARD 598**

#### **Valve Inspection and Testing**

and Standard Practice:

#### **MSS SP-61**

#### **Pressure testing of Valves**

(Shell test at 1.5 x MAWP; Seat test at 1.1 MAWP, both for 15 seconds)


For further information, do not hesitate to contact us at:

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801 - Email: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**

Montegaldella, January 3<sup>rd</sup>, 2024

  
**Simone Zarantonello**  
Technical Manager

  
**Franco Bianucci**  
Quality Director

Local unit Pieve San Giacomo  
Via Borghisani 4  
26035 Pieve San Giacomo (CR) Italy  
Tel. +39 0372 6404  
sales@gayesco.wika.com  
Commercial Registration Number: CR-173105

Local unit Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI) – Italy  
Tel. +39 0444 635801  
info.valves@wika.com  
Commercial Registration Number: MI 2548231

Local unit Bareggio  
Viale De Gasperi, 48  
20008 Bareggio (MI) – Italy  
Tel. +39 02 90361146  
sales.pressure-switch.it@wika.com  
Commercial Registration Number: MI 2548231



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
[info.valves@wika.com](mailto:info.valves@wika.com)  
[www.wika.com](http://www.wika.com)

To Whom it may concern

Date  
03.01.2024

### ISO 5208 Rate A – Declaration of Compliance

We hereby declare that our products:

- Needle valves and Manifolds
- Monoflanges
- Ball valves with bore size smaller than NPS 1" / DN 25
- Monoblock valves with flange connection
- Monoblock valves with threaded connection
- Monoblock valves for sampling and injection
- Piping ball valves flanged or threaded
- Check valves
- High pressure needle valves
- High pressure ball valves
- High pressure check valves
- High pressure fittings, accessories, adapters and couplings

IV1X – IV2X – IV3X – IV5X  
IVM  
BV  
IBF1 – IBF2 – IBF3  
IBM1 – IBM2 – IBM3  
IBS – IBJ  
PBV-FS  
CV  
HPNV  
HPBV  
HPCV  
HPFA – HPAC

are inspected and tested in compliance with the following Standard:

**ISO 5208**  
**Industrial valves -- Pressure testing of metallic valves**  
**Maximum allowable closure test leakage rate:**  
**Rate A** (No visually detectable leakage for the duration of the test – Liquid and gas)

For further information, do not hesitate to contact us at:

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801 Email: [info.valves@wika.com](mailto:info.valves@wika.com)

Signed of behalf of

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Montegaldella, January 3<sup>rd</sup>, 2024

  
Simone Zarantonello  
Technical Manager

  
Franco Bianucci  
Quality Director



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
[info.valves@wika.com](mailto:info.valves@wika.com)  
[www.wika.com](http://www.wika.com)

To Whom it may concern

Date  
03.01.2024

### **ASME VIII Div.1 UG-101 – MSS SP-99 Declaration of Compliance**

We hereby declare that our products:

- Needle valves and Manifolds
- Monoflanges
- Ball valves with bore size smaller than NPS 1" / DN 25
- Monoblock valves with flange connection
- Monoblock valves with threaded connection
- Monoblock valves for sampling and injection
- Piping ball valves flanged or threaded
- Check valves

**IV1X – IV2X – IV3X – IV5X**  
**IVM**  
**BV**  
**IBF1 – IBF2 – IBF3**  
**IBM1 – IBM2 – IBM3**  
**IBS – IBJ**  
**PBV-FS**  
**CV**

fulfil the requirements of the following Standards:

### **ASME VIII Div.1 UG-101 – MSS SP-99**

For further information, do not hesitate to contact us at:

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801 Email: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**

Montegaldella, January 3<sup>rd</sup>, 2024



**Simone Zarantonello**  
Technical Manager



**Franco Bianucci**  
Quality Director

Local unit Pieve San Giacomo  
Via Borghisani 4  
26035 Pieve San Giacomo (CR) Italy  
Tel. +39 0372 6404  
[sales@gayesco.wika.com](mailto:sales@gayesco.wika.com)  
Commercial Registration Number: CR-173105

Local unit Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI) – Italy  
Tel. +39 0444 635801  
[info.valves@wika.com](mailto:info.valves@wika.com)  
Commercial Registration Number: MI 2548231

Local unit Bareggio  
Viale De Gasperi, 48  
20008 Bareggio (MI) – Italy  
Tel. +39 02 90361146  
[sales.pressure-switch.it@wika.com](mailto:sales.pressure-switch.it@wika.com)  
Commercial Registration Number: MI 2548231



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
03.01.2024

**LS 031 6X7 & ASTM G 93 – Declaration of Compliance  
(EN 10204 – 2.2)**

We hereby declare that our products:

- |                                                          |                                  |
|----------------------------------------------------------|----------------------------------|
| • Needle valves and Manifolds                            | <b>IV1X – IV2X – IV3X – IV5X</b> |
| • Monoflanges                                            | <b>IVM</b>                       |
| • Ball valves with bore size less than NPS 1" / DN 25    | <b>BV</b>                        |
| • Monoblock valves with flange connection                | <b>IBF1 – IBF2 – IBF3</b>        |
| • Monoblock valves with threaded connection              | <b>IBM1 – IBM2 – IBM3</b>        |
| • Monoblock valves for sampling and injection            | <b>IBS – IBJ</b>                 |
| • Check valves                                           | <b>CV</b>                        |
| • High pressure needle valves                            | <b>HPNV</b>                      |
| • High pressure ball valves                              | <b>HPBV</b>                      |
| • High pressure check valves                             | <b>HPCV</b>                      |
| • Accessories as brackets, adapters, fittings and tubing | <b>HPFA - HPAC</b>               |

are inspected and tested in compliance with the following Standard Practice:

**LS 031 6X7 & ASTM G 93 – 03**

**Standard Practice for Cleaning Methods and Cleanliness Levels for Material and  
Equipment Used in Oxygen-Enriched Environments**

**Cleanliness Level**

**Non-volatile residue remaining: Level C – Less than 6 mg/ft<sup>2</sup> (66 mg/m<sup>2</sup>)**

Cleanliness Level is yearly checked by Solvent extraction method



For further information, do not hesitate to contact us at:

**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**

Via Bernarde, 11/1  
36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801  
E-mail: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**

Montegaldella, January 3<sup>rd</sup>, 2024



Simone Zarantonello  
Technical Manager



Franco Bianucci  
Quality Director



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
03.01.2024

### Information about the Explosive Atmospheres Directive (ATEX) 2014/34/EU

The new directive regarding equipment in potentially explosive atmospheres [2014/34/UE](#) is effective from March 2014 and replaces the previous 94/9/CE.

The equipment manufactured by WIKAL Instruments Italia **are excluded from the field of application of the directive 2014/34/EU since they do not present potential sources of ignition in themselves** as defined in the Article 1 Par.1 and Article 2 Par.1

Therefore, **the marking “ATEX” is not needed for the following products:**

- |                                                               |                                  |
|---------------------------------------------------------------|----------------------------------|
| • Needle valves and Manifolds                                 | <b>IV1X – IV2X – IV3X – IV5X</b> |
| • Monoflanges                                                 | <b>IVM</b>                       |
| • Ball valves with bore size smaller than NPS 1”/ DN 25       | <b>BV</b>                        |
| • Monoblock valves with flange connection                     | <b>IBF1 – IBF2 – IBF3</b>        |
| • Monoblock valves with threaded connection                   | <b>IBM1 – IBM2 – IBM3</b>        |
| • Monoblock valves for sampling and injection                 | <b>IBS – IBJ</b>                 |
| • Piping ball valves flanged or threaded                      | <b>PBV-FS</b>                    |
| • Check valves                                                | <b>CV</b>                        |
| • High pressure needle valves                                 | <b>HPNV</b>                      |
| • High pressure ball valves                                   | <b>HPBV</b>                      |
| • High pressure check valves                                  | <b>HPCV</b>                      |
| • High pressure fittings, accessories, adapters and couplings | <b>HPFA – HPAC</b>               |



For further information, do not hesitate to contact us at:

**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**

Via Bernarde, 11/1  
36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801  
E-mail: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAI Instruments S.a.s. di WIKAI Italia S.r.l.**

Montegaldella, January 3<sup>rd</sup>, 2024



Simone Zarantonello  
Technical Manager



Franco Bianucci  
Quality Director



**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Registered Office: Via Borghisani 4 • 26035 Pieve San Giacomo • Italy  
Share capital: 2.000.000 €  
Fiscal code / VAT number: 06368680960

Local unit:  
Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI)  
Italy

Tel. +39 0444635801  
info.valves@wika.com  
www.wika.com

To Whom it may concern

Date  
03.01.2024

### **Declaration ISO 15848-1 & TA-Luft Fugitive Emission**

We hereby declare that our products:

- Needle valves and Manifolds **IV1X – IV2X – IV3X – IV5X**
- Monoflanges **IVM**

with the sealing systems shown in Appendix A, comply with the tightness criteria of the following standards:

#### **ISO 15848-1 Ed. 2017**

ISO-FE-AH-C01-SSA1-t(-29°C;+180°C)-ISO15848-1

#### **VDI 2440-TA-LUFT Ed. 2021**

(1,5 x 10<sup>-6</sup>)

Please be informed that, considering the latest revision of VDI 2440, the test can be referred to ISO 15848-1. Since our valves have successfully passed the test according to ISO 15848-1 (last edition), and the emission is below 1,5 x 10<sup>-6</sup>, we can declare that our valves comply to the standard:

#### **VDI 2440-TA-LUFT standard Ed. 2021**


For further information, do not hesitate to contact us at:

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**  
Via Bernarde, 11/1 - 36047 Montegaldella (VI), Italy  
Tel: +39 0444 635 801 - E-mail: [info.valves@wika.com](mailto:info.valves@wika.com)

*Signed of behalf of*

**Euromisure WIKAL Instruments S.a.s. di WIKAL Italia S.r.l.**

Montegaldella, January 3<sup>rd</sup>, 2024

  
**Simone Zarantonello**  
Technical Manager

  
**Franco Bianucci**  
Quality Director

Local unit Pieve San Giacomo  
Via Borghisani 4  
26035 Pieve San Giacomo (CR) Italy  
Tel. +39 0372 6404  
sales@gayesco.wika.com  
Commercial Registration Number: CR-173105

Local unit Montegaldella  
Via Bernarde 11/1  
36047 Montegaldella (VI) – Italy  
Tel. +39 0444 635801  
info.valves@wika.com  
Commercial Registration Number: MI 2548231

Local unit Bareggio  
Viale De Gasperi, 48  
20008 Bareggio (MI) – Italy  
Tel. +39 02 90361146  
sales.pressure-switch.it@wika.com  
Commercial Registration Number: MI 2548231

Appendix A

