

April 24, 2020

Attention: Nicolò Chiarin
WIKI INSTRUMENTS ITALIA SRL
VIA BERNARDE NO 11/1
MONTEGALDELLA (VICENZA), 36047

The design submission, tracking number 2020-01193, originally received on February 28, 2020 was surveyed and accepted for registration as follows:

CRN : 0C19875.2 **Accepted on:** April 24, 2020
Reg Type: ADDITION TO ACC. FITTING **Expiry Date:** August 01, 2029
Drawing No. : ABSA_CRN_01 As Noted
Fitting type: NEEDLE VALVES & MANIFOLDS AND MONOFLANGES

The registration is conditional on your compliance with the following notes:

- The scope of revision is adding other material option and models.
- It is also our understanding that valves must be designed in strict accordance with the requirement of ASME B16.34.
- As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are B16.34 and SECTION VIII, DIV. 1.
- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3356 or fax (780) 437-7787 or e-mail Habteyes@absa.ca.

Sincerely,



HABTEYES, KASSA, E.I.T.
DOP Cert. No. D00009639

**STATUTORY DECLARATION
Registration of Fittings**

Single or Multiple Fitting Designs within one Fitting Category

I, Mr. Andrea Contu, General Manager
(name of applicant) (position title) (must be in a position of authority)
of WIKAI Instruments Italia Srl
(name of manufacturer)

located at Via Bernarde No. 11/1, 36047 Montegaldella (Vicenza) - Italy
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- ☒ comply with the requirements of ASME B16.34 - ASME VIII div.1 which specifies the dimensions, (title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the (title of code of construction or other applicable document)
attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	Needle B&B valves, Manifolds, Monoflange valves	ISO 9001:2015	Design, manufacture of needle valves and manifolds, DBB valves, safety valves, control oil system for steam turbines, check valves, orifices, air filter regulators, vibration	2021/08/10	DNV-GL	WIKAI Instruments Italia Srl, Via Bernarde No. 11/1, 36047 Montegaldella (VI) - Italy

Tracking #: 2020-01193

			switches, and accessories (adaptors, fittings, nipples, etc.). Trading of accessories (i.e. adaptors, fittings, nipples, etc.).			
2.						

In support of this application, the following information, calculations and/or test data are attached:

ABSA CRN_01: Tab.1B, 01a-01b DataSheets for Monoflange IVM, Neele valve IV1, Manifold IV2 IV3 IV5

02a-02d Dwg for Monoflange, Needle valves Manifolds and Bonnet - 03a-03g Calculations various mat.

(Signature of the Declarer) (Date)

DECLARED before me at _____ in the _____ of _____
(city) (province, territory, or state)

this _____ day of _____, _____
(Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: _____
(province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category _____

CRN: _____

Registered Date: _____

Expiry Date: _____

Signature: _____

(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2020-01193

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C19875.2

See acceptance letter for conditions of registration.

Date: 2020-04-24 By: _____

KASSA HABTEYES, E.I.T.

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

Tracking #: **2020-01193**

Page 3 of 3

Table 1** Scope of Fitting Designs

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			

Table 2 Additional Scope Information

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
Example:
Series X Options


** For additional alternatives of Table 1, refer to Form AB-41a, Guide for Completing Form AB-41

Table 1B Scope of Fitting Design

Type of fitting & Catalogues & Standard construction	IV2X Manifold – Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV1X Needle and multiport – Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 Manifold IV3X-IV5X – Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 Monoflange IVMX – Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1
Pressure Classes & Sizes	Needle and Manifold IV1X-IV2X-IV3X-IV5X Valves: Pressure Class 3000 psi/210 bar, 6000 psi/420 Bar, 10000 psi/689 bar – Size NPS 1/8" thru 1/2" Monoflange Valves: ASME Classes 150, 300, 400, 600, 900, 1500, 2500 – Size NPS 1/2" thru 2"
Material Specification	*A350 LF2, A182 F316/F316L, A479 316/316L A240 316, A276 316/316L, A276 316, A276 303, A276 304, A479 S31803, A182 F51, A479 S32760, A182 F55, B164 N04400, B564 N04400, B446 N06625, B564 N06625, B425 N08825, B564 N08825, B574 N10276, B564 N10276,
Valve ends	Flanged per ASME B16.5, Flanged per IEC 61518 Butt weld (Sch Std, XS, 160, XXS) Threaded (NPT, ANPT, C&T, Gas Conical and Gas Cylindrical per EN 837 and 1179) Socket Weld (ASME B 16.11)

* Class 1 Material
as per client confirmation

K.H



This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

Tracking Number: 2020-01193

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Wika Instruments Srl	
Manufacturers Address: Via Bernada No. 11/1, 38047 Montebelluna (Vicenza) - Italy	
Plant Locations: Via Bernada No. 11/1, 38047 Montebelluna (Vicenza) - Italy	
Category of Fittings to be registered. Circle one Category only: A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Expansion joints, flexible connections, and hose assemblies: all types D Strainers, filters, separators, and steam traps E Measuring devices, including pressure gauges, level gauges, sight glasses, floats, or pressure transmitters F Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B16.34 and Section VIII, Div.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	
Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☒ Describe other: Bar stock valve	
List of supporting documentation and identification of the actual items to be registered: IV1X Needle and multiport - Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 IV2X Manifold - Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV3X-IV5X Manifold - Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 IVMX Monoflange - Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1 (Ref. ABSA CRN 0C19875.2)	

Declaration:

I, Mr. Andrea Costa (see note 3) employed by Wika Instruments Srl and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS Canada - Pressure Vessel Inc. Andrea Costa being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the contents of the same, for the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Montebelluna, Italy on 29 day of June AD 2020

Commissioner of Oaths

Or Notary Public: (sign) _____

Use this space for the Official Seal

(Affix Official seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of registration.	
CRN: <u>0C19875.2 Add</u> <u>15964</u> FID#: <u>IV1X needle and multiport valve; IV2X block-and-bleed 2-valve manifold; IV3X-IV5X 3- 5-manifold; IVMX monoflange</u>	PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT R.N. <u>0C19875.2 Add</u> DATE: <u>29/06/20</u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH
Scope of addition is other material options & models. Valves must be designed in strict accordance with ASME B16.34. CRN expires Aug. 1, 2029 - DG	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Wika Instruments Srl	
Manufacturers Address: Via Bernabe No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Plant Locations: Via Bernabe No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves and valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories I Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B16.34 and Section VIII, Div.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	
Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☒ <u>Bar stock valve</u> Describe other:	
List of supporting documentation and identification of the actual items to be registered: IV1X Needle and multiport - Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 IV2X Manifold - Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV3X-IV5X Manifold - Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 IVMX Monoflange - Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1 (Ref. ABSA CRN 0C19875.2)	

Declaration:

I, Mr. Andrea Conti (see note 3) employed by Wika Instruments Srl and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CCS cert. Production Unit - Andrea Conti being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the contents of the same to be true and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Via Bernabe 11/1 - 36047 Montebelluna (VI) Italy


This 10th day of June AD 2020

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

Use this space for the Official Seal

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of registration.	
CRN: <u>0C19875.2 Add</u> FID#: <u>15964</u> <u>IV1X needle and multiport valve; IV2X block-and-bleed</u> <u>2-valve manifold; IV3X-IV5X 3- 5-manifold; IVMX monoflange</u>	
Scope of addition is other material options & models. Valves must be designed in strict accordance with ASME B16.34. CRN expires Aug.1, 2029 - DG	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: WIKAI Instruments Srl	
Manufacturers Address: Via Bernarde No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Plant Locations: Via Bernarde No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B16.34 and Section VIII, Div.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☒ Describe other: Bar stock valve
List of supporting documentation and identification of the actual items to be registered: IV1X Needle and multiport – Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 IV2X Manifold – Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV3X-IV5X Manifold – Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 IVMX Monoflange – Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1 (Ref. ABSA CRN 0C19875.2)	

Declaration:

I, Mr. Andrea Contu (see note 3) employed by WIKAI Instruments Srl and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DQS GmbH - Frankfurt am Main - Germany and I make this solemn declaration conscientiously believing it to be true, and knowing that it has the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Via Bernarde 11/1 - 36047 Montebelluna (VI)
 This 10th day of June AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) _____

(Affix Official seal to the right)

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C19875.2 Add
15964
 FID#: _____
 IV1X needle and multiport valve; IV2X block-and-bleed
 2-valve manifold; IV3X-IV5X 3- 5-manifold, IVMX monoflange.

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope of addition is other material options & models.
 Valves must be designed in strict accordance with ASME B16.34.
 CRN expires Aug.1, 2029 - DG

Use this space for the Official Seal

New Brunswick
DEPT OF JUSTICE PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN 0C19875.27 Add

[Signature]
 CHIEF BOILER INSPECTOR
 DATE 6/26/20

Sect 1.0 - Fittings Rev.2

☐ BLRs ☐ PVs

☐ FITTINGS ☐ NUCLEAR COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Wika Instruments Srl	
Manufacturers Address: Via Bernabe No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Plant Locations: Via Bernabe No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B16.34 and Section VIII, Div.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☒ Describe other: Bar stock valve
List of supporting documentation and identification of the actual items to be registered: IV1X Needle and multiport - Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 IV2X Manifold - Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV3X-IV6X Manifold - Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 IVMX Monoflange - Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1 (Ref. ABSA CRN 0C19875.2)	

Declaration:

I, Mr. Andrea Conti (see note 3) employed by Wika Instruments Srl and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DES GRUHL - Frankfurt am Main - Andrea Conti being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the contents to be true and effect as if made under oath.

Signature of Declarer: [Signature] Wika Instruments Italia S.r.l.

Declared before me at Via Bernabe 11/1 - 36047 Montebelluna (VI)
Tel: (+39) 0444 835801 Fax: (+39) 0444 835161
 This 10th day of June AD 2020

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

This space for Regulatory Authority use. CRN: <u>0C19875.2 Add</u> <u>15964</u> FID#: <u>IV1X needle and multiport valve; IV2X block-and-bleed</u> <u>2-valve manifold; IV3X-IV6X 3- 5-manifold, IVMX monoflange.</u> 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope of addition is other material options & models. Valves must be designed in strict accordance with ASME B16.34. CRN expires Aug.1, 2029 - DG	Newfoundland Labrador Service NL Registered <u>0C19875.20 Add</u> Date <u>20/06/20</u> Engineering and Inspection Services Registered by <u>[Signature]</u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Wika Instruments Srl	
Manufacturers Address: Via Bernarde No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Plant Locations: Via Bernarde No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all the valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B16.34 and Section VIII, Div.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product WIKAI	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☒ Describe other: Bar stock valve
List of supporting documentation and identification of the actual items to be registered: IV1X Needle and multiport - Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 IV2X Manifold - Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV3X-IV5X Manifold - Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 IVMX Monoflange - Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1 (Ref. ABSA CRN 0C19875.2)	

Declaration:

I, Mr. Andrea Conti (see note 3) employed by Wika Instruments Srl and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Das GmbH - Frankfurt am Main - Germany and Andrea Conti being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the contents of the same to be true and effect as if made under oath.

Signature of Declarer:

Wika Instruments Italia S.r.l.
Via Donato 11/1 - 36047 Montebelluna (VI)
Tel. (+39) 0444 635801 Fax: (+39) 0444 635161

Declared before me at

Montebelluna (VI) on 10th day of June AD 2020

This 10th day of June

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

CRN: <u>0C19875.2 Add</u> <u>15964</u> FID#: <u>IV1X needle and multiport valve; IV2X block-and-bleed</u> <u>2-valve manifold; IV3X-IV5X 3- 5-manifold; IVMX monoflange.</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope of addition is other material options & models. Valves must be designed in strict accordance with ASME B16.34. CRN expires Aug.1, 2029 - DG	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. GOVERNMENT OF YUKON BY <u>[Signature]</u> CRN <u>0C19875.2Y ADD</u> DATE <u>07/03/2020</u> Sect 1.0 - Fittings Rev.2 BOILERS BRANCH
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Wika Instruments Srl</u>	
Manufacturers Address: <u>Via Bernardi No. 11/1, 36047 Montebelluna (Vicenza) - Italy</u>	
Plant Locations: <u>Via Bernardi No. 11/1, 36047 Montebelluna (Vicenza) - Italy</u>	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all types C <u>Valves: all types</u> D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNCS or ASME requirements)	Title of the Standard of Construction ASME B16.34 and Section VIII, Div.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☒ Describe other: Bar stock valve
List of supporting documentation and identification of the actual items to be registered: IV1X Needle and multiport - Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 IV2X Manifold - Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV3X-IV5X Manifold - Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 IVMX Monoflange - Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1 (Ref. ABSA CRN 0C19875.2)	

Declaration:

I, Mr. Andrea Conti (see note 3) employed by Wika Instruments Srl and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV GL - Product Group 1 - Andrea Conti being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing full well that it has the same force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at _____

This 10th _____ day of _____

Commissioner of Oaths

Or Notary Public (sign) _____

(Affix Official seal to the right)

Use this space for the Official Seal

CRN: <u>0C19875.2 Add</u> FID#: <u>15964</u> <u>IV1X needle and multiport valve; IV2X block-and-bleed</u> <u>2-valve manifold; IV3X-IV5X 3- 5-manifold; IVMX monoflange.</u>	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.  Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>0C19875-2T Add</u> SIGNED _____ DATE <u>June 30 2020</u>
---	--

Scope of addition is other material options & models.
 Valves must be designed in strict accordance with ASME B16.34.
 CRN expires Aug.1, 2029 - DG

763.00

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Wika Instruments Srl	
Manufacturers Address: Via Bernabè No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Plant Locations: Via Bernabè No. 11/1, 36047 Montebelluna (Vicenza) - Italy	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all the valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B16.34 and Section VIII, Div.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☒ Describe other: Bar stock valve
List of supporting documentation and identification of the actual items to be registered: IV1X Needle and multiport - Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 IV2X Manifold - Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV3X-IV5X Manifold - Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 IVMX Monoflange - Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1 (Ref. ABSA CRN 0C19875.2)	

Declaration:

I, Mr. Andrea Cento (see note 3) employed by Wika Instruments Srl and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Docteur-Ingénieur Andrea Cento being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it has the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Via Bernabè 11/1 - 36047 Montebelluna (VI)
 This 10th day of June AD 2020

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

CRN: <u>0C19875.2 Add</u> <u>15964</u> FID#: IV1X needle and multiport valve; IV2X block-and-bleed 2-valve manifold; IV3X-IV5X 3- 5-manifold; IVMX monoflange. 1. All fittings shall be registered in the name of the manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope of addition is other material options & models. Valves must be designed in strict accordance with ASME B16.34. CRN expires Aug.1. 2029 - DG	This space for Regulatory Authority use. This registration must be revalidated after 10 years from the date of accreditation.  NUNAVUT Boilers and Pressure Vessels Act REGISTERED CRN <u>0C19875.2N Add</u> Date <u>June 26, 2020</u> Section 1, Fittings Rev.2 <u>[Signature]</u> Chief Inspector Territorial Registration Fee
--	---

ALBERTA BOILERS SAFETY ASSOCIATION
9410 20 AVENUE NW
EDMONTON AB T6N 0A4

Date: July 8, 2020
Account #: 34986
Journal #: 76067

Attn: CYNTHIA FORMANIUK

Re: Application for Design Registration

The design, as detailed in your, ABSA_CRN_01, for a Fitting is accepted for registration as follows:

Registered To: WIKA INSTRUMENTS ITALIA SRL **CRN:** 0C19875.21

Drawing #: ABSA_CRN_01

Drawing Revision: N/A

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

As required by CSA B51 4.2.1, this registration expires on 01-Aug-2029. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in ABSA CRN# 0C19875.2 registration shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Emilia Tam

emilia.tam@technicalsaftybc.ca
Design Administration

cc:



7/27/2020

ABSA
9410 - 20 Avenue NW
Edmonton, AB T6N 0A4
CAN

Dear Cynthia Formaniuk

Re: Reciprocal CRN Registration in Manitoba

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R782
CRN: 0C19875.2
Scope:
Manufacturer: Wika Instruments Italia SrL
Expiry Date:

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact me directly via email at Cheryl.Lashek@gov.mb.ca for any questions or concerns.

Cheryl Lashek, P.Eng
Director, ITSM
Inspection and Technical Services
Office of the Fire Commissioner
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8
T (204) 945-3507 | F (204) 948-2309



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

July 20, 2020

CYNTHIA FORMANIUK
ALBERTA BOILERS SAFETY ASSOCIATION
9410 20 AVE NW
EDMONTON AB T6N 0A4
CA

Service Request Type: BPV-Fitting Registration
Service Request No.: 2870484
Your Reference No.: 2020-01193, ABSA PORTAL# 2020-S0260
Registered to: WIKA INSTRUMENTS ITALIA SRL

Dear CYNTHIA FORMANIUK,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0C19875.25

**Main Design No.: Needle Valves, Manifolds and Monoflanges per Table 1B Scope of Fitting Design
(attached to the Statutory Declaration)**

Expiry Date: 01-Aug-2029

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be sent to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Zivko Gacevic P. Eng.
Mechanical Engineer, BPV
Tel.: 416-734-3429
Fax: 416-231-6183
Email: zgacevic@tssa.org

**STATUTORY DECLARATION
Registration of Fittings**
Single or Multiple Fitting Designs within one Fitting Category

I, Mr. Andrea Contu, General Manager
(name of applicant) (position title) (must be in a position of authority)
of WIKAL Instruments Italia Srl
(name of manufacturer)
located at Via Bernarde No. 11/1, 36047 Montegaldella (Vicenza) - Italy
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- ☒ comply with the requirements of ASME B16.34 - ASME VIII div.1 which specifies the dimensions, (title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the (title of code of construction or other applicable document)
attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	Needle B&B valves, Manifolds, Monoflange valves	ISO 9001:2015	Design, production and sale of needle valves and manifolds, ball valves DBB valves, safety valves, check valves, orifices, air filter regulators, control oil system fro	2021/07/05	DQS GmbH Frankfurt am Main - Germany	WIKAL Instruments Italia Srl, Via Bernarde No. 11/1, 36047 Montegaldella (VI) - Italy

			steam turbines, vibration switches, and accessories (i.e. adaptors, fittings, nipples, etc.). Trading of accessories (i.e. adaptors, fittings, nipples, etc.).			
2.						

In support of this application, the following information, calculations and/or test data are attached:

ABSA_CRN_01: Tab.1B, 01a-01b DataSheets for Monoflange IVM, Neele valve IV1, Manifold IV2 IV3 IV5

02a-02d Dwg for Monoflange, Needle valves Manifolds and Bonnet - 03a-03g Calculations various mat.

Andrea Contu
General Manager
(Signature of the Declarant)
VIA S.p.A. - Via S. Maria 111 - 36041 Montebelluna (TV)
Tel: (+39) 0444 835801 Fax: (+39) 0444 835181
VAT Number: (IT) 03881590281 - Tax Code: 02627500271

2020-06-10

(Date)

DECLARED before me at _____ in the _____ of _____
(city) (province, territory, or state)

this _____ day of _____, _____
(Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: _____
(province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category **'C'**.

CRN: _____

Registered Date: _____

Expiry Date: **Aug. 1, 2029**

Signature: _____
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

Technical
Standards
and Safety
Authority

Boilers and
Pressure Vessels
Safety Program

REGISTERED

C.R.N.: 0C19875.25

Signed: *Luciano Z...*

Date: July 20, 2020.



This Document has been digitally signed and approved. The stamp size has been optimized for 11 x 17 documents.

Tracking #: _____

Table 1B Scope of Fitting Design

Type of fitting & Catalogues & Standard construction	IV2X Manifold – Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV1X Needle and multiport – Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 Manifold IV3X-IV5X – Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 Monoflange IVMX – Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1
Pressure Classes & Sizes	Needle and Manifold IV1X-IV2X-IV3X-IV5X Valves: Pressure Class 3000 psi/210 bar, 6000 psi/420 Bar, 10000 psi/689 bar – Size NPS 1/8" thru 1/2" Monoflange Valves: ASME Classes 150, 300, 400, 600, 900, 1500, 2500 – Size NPS 1/2" thru 2"
Material Specification	A350 LF2, A182 F316/F316L, A479 316/316L A240 316, A276 316/316L, A276 316, A276 303, A276 304, A479 S31803, A182 F51, A479 S32760, A182 F55, B164 N04400, B564 N04400, B446 N06625, B564 N06625, B425 N08825, B564 N08825, B574 N10276, B564 N10276,
Valve ends	Flanged per ASME B16.5, Flanged per IEC 61518 Butt weld (Sch Std, XS, 160, XXS) Threaded (NPT, ANPT, C&T, Gas Conical and Gas Cylindrical per EN 837 and 1179) Socket Weld (ASME B 16.11)

THIS IS PART OF CRN

0C19875.25

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety
Program



Montréal, 8 juillet 2020

MME CYNTHIA FORMANIUK
ABSA
9410 - 20 Avenue
Edmonton, ON
CANADA T6N 0A4

Fabricant : WIKA INSTRUMENTS LTD
VIA BERNARDE No. 11
MONTEGALDELLA VICENZA
ITALIE 37047

Numéro de dossier : 950983
Numéro(s) de dessin (s) : ABSA_CRN_01

Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement

Madame,

La Régie du bâtiment du Québec (RBQ) vous informe que votre demande d'enregistrements de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) : 0C19875.26

Nous portons à votre attention cette exigence applicable à la réglementation sur les installations sous pression et des codes et normes qui y sont associés :

- Le constructeur doit maintenir un système de contrôle de la qualité valide pour fabriquer selon ce NEC.

Le présent avis d'approbation ne dégage pas le constructeur de ses responsabilités quant à la conception ou à la construction des équipements fabriqués selon ce NEC.

Salutations distinguées,

Bureau d'expertise et d'homologation en équipements sous pression



Montréal, July 8, 2020

MRS CYNTHIA FORMANIUK
ABSA
9410 - 20 Avenue
Edmonton, ON
CANADA T6N 0A4

Manufacturer : WIKA INSTRUMENTS LTD
VIA BERNARDE No. 11
MONTEGALDELLA VICENZA
ITALIE 37047

Our reference : 950983
Design number : ABSA_CRN_01

Subject: Registration of designs – Confirmation of approval

Dear Madam,

The Régie du bâtiment du Québec (RBQ) informs you that your application for the registration of designs has been evaluated and that the design was registered under the Canadian Registration Number (CRN\NEC) : 0C19875.26

We bring your attention this requirement of the regulation respecting pressure installations, and the codes and standards adopted:

- The manufacturer must maintain a valid quality control program to produce according to the CRN.

This notice of approval does not relieve the constructor of his responsibilities with respect to the design or construction of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

Table 1** Scope of Fitting Designs

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			

Table 2 Additional Scope Information

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
Example:
Series X Options

** For additional alternatives of Table 1, refer to Form AB-41a, Guide for Completing Form AB-41

OC19875.26
23 juin 2020



Table 1B Scope of Fitting Design

Type of fitting & Catalogues & Standard construction	IV2X Manifold – Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1 IV1X Needle and multiport – Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1 Manifold IV3X-IV5X – Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1 Monoflange IVMX – Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1
Pressure Classes & Sizes	Needle and Manifold IV1X-IV2X-IV3X-IV5X Valves: Pressure Class 3000 psi/210 bar, 6000 psi/420 Bar, 10000 psi/689 bar – Size NPS 1/8" thru 1/2" Monoflange Valves: ASME Classes 150, 300, 400, 600, 900, 1500, 2500 – Size NPS 1/2" thru 2"
Material Specification	A350 LF2, A182 F316/F316L, A479 316/316L A240 316, A276 316/316L, A276 316, A276 303, A276 304, A479 S31803, A182 F51, A479 S32760, A182 F55, B164 N04400, B564 N04400, B446 N06625, B564 N06625, B425 N08825, B564 N08825, B574 N10276, B564 N10276,
Valve ends	Flanged per ASME B16.5, Flanged per IEC 61518 Butt weld (Sch Std, XS, 160, XXS) Threaded (NPT, ANPT, C&T, Gas Conical and Gas Cylindrical per EN 837 and 1179) Socket Weld (ASME B 16.11)

Statutory Declaration Registration of Fittings

Building Act (B-1.1)
Regulation respecting pressure vessels (B-1.1, r. 6.1)
Boiler, pressure vessel, and pressure piping code (CSA B51)

This declaration must be filled out and sent to the Régie du bâtiment du Québec (RBQ) by pressure fitting manufacturers when they make an application registration for fittings.

For more information on the application registration for fittings, consult the www.rbq.gouv.qc.ca/fittings-pv.

1. Fittings to register

List the fittings included in this declaration and that you wish to register.

N°	Description	Additional Information (detail, calculations or approval sheets)
1	IV1X Needle and multiport	Cat # AC 09.22 - ASME B16.34 and Section VIII, Div.1
2	IV2X Manifold	Cat # AC 09.19 - ASME B16.34 and Section VIII, Div.1
3	Manifold IV3X-IV5X	Cat # AC 09.23 - ASME B16.34 and Section VIII, Div.1
4	Monoflange IVMX	Cat # AC 09.17 - ASME B16.34 and Section VIII, Div.1
5		(ABSA CRN 0C19875.2)

2. Declaration of the person in charge

The person in charge is someone in a position of authority, such as a vice-president, a plant manager or a chief engineer.

2.1 Design

I, the undersigned, Mr. Andrea Contu General Manager
(Name of the person in charge) (Title of the person in charge)

from WIKI Instruments Italia Srl, located at Via Bernarde No.11/1 - 36047 Montegaldella (Vicenza) - Italy
(Company's name) (Plant's address)

hereby declare that the above-mentioned fittings and subject to the Regulation respecting pressure installations:

☒ comply with the requirements of the ANSI/ASME codes as to their dimensions, identification, material and purpose
or
☐ are not covered by the ANSI/ASME codes, but are in compliance with _____
(Name of code or standard)

code or standard and are designed according to the best current engineering practice, as proven by the enclosed approval report.

2.2 Manufacturing quality control

I further declare that the manufacture of these fittings is controlled by a quality control program that complies with the requirements of the following code: ISO 9001:2015 and has been verified by DQS GmbH - Frankfurt am Main - Germany
(Name of code) (Authorized agency)

Signature of the person in charge: Andrea Contu Date (yyyy-mm-dd): 2020-06-10
General Manager

WIKI Instruments Italia S.r.l.
Via Bernarde 11/1 - 36047 Montegaldella (VI)
Tel: (+39) 0444 635801 Fax: (+39) 0444 635161
VAT Number: (IT) 03681590281 - Tax Code: 02627500271

3. Declaration of commissioner for oaths

I certify that this declaration has been administered before me, at _____, on _____.	
(Location)	(Date (yyyy-mm-dd)):
Signature of commissioner for oaths:	Date (yyyy-mm-dd):
Stamp the seal:	

4. Registration confirmation (for RBQ's use only)

As far as I know, this application complies with the requirements of the Act and with standard CSA B51, Part 1, section 4.2, and is accepted for registration in the class _____.

This registration expires in ten (10) years after the date of registration indicated above, and it must be validated again after this period.

Canadian registration number (CRN):

Registration date (yyyy-mm-dd):

0C19875.26
23 juin 2020



Documents to attach

Any application registration for fittings must include these documents:

- Statutory Declaration Registration of Fittings (2 copies)
- Detailed calculations or burst test report (1 copy)
- Detailed technical drawings or catalogues (2 copies)
- Example of the manufacturer's marking (1 copy)
- Proof that a valid and approved quality control program has been implemented (1 copy)
- Form Application for design registration (1 copy)

Sending the form

This declaration is mandatory in order to submit an application registration of fittings.

Application registration for fittings must only be sent by mail to this address:

Bureau d'expertise et d'homologation en équipements sous pression
Régie du bâtiment du Québec
545, boulevard Crémazie Est, 7^e étage
Montréal (Québec) H2M 2V2

Fitting Design

Design Submission Requirements

Any person who intends to manufacture a fitting for use in Saskatchewan in connection with any boiler, pressure vessel, or pressure piping system shall apply for registration of the fitting unless otherwise provided in the regulations (described below). A fitting means a valve, gauge, regulating or controlling device, flange, pipe fitting, nozzle, or thing that is attached to or forms part of a boiler, pressure vessel, or pressure piping system. The submissions for registration shall include:

- a completed "[Application for Fitting Design Registration \(http://www.tsask.ca/public/images/TSK-1014 - 2017 Fitting Design Registration - FINAL.pdf\)](http://www.tsask.ca/public/images/TSK-1014-2017_Fitting_Design_Registration_FINAL.pdf)" form for each design; and
- one "[Statutory Declaration Form \(http://www.tsask.ca/uploads/File/PDFs/2013%20Fee%20Increase%20Forms%20BPV/TSK1008%20Statutory%20Declaration-Oct29.pdf\)](http://www.tsask.ca/uploads/File/PDFs/2013%20Fee%20Increase%20Forms%20BPV/TSK1008%20Statutory%20Declaration-Oct29.pdf)" completed by the manufacturer for each design;
- the design details (drawings, brochures, catalogues, etc. as appropriate) 1 set;
- send additional set if you require a stamped copy returned to you (additional fee applicable)
- one set of calculations or reports in support of the design (where applicable);
- proof of registration in another Canadian jurisdiction (if applicable);

The design details, specifications, and other information submitted should show enough detail to demonstrate that the design will conform to the code or standard specified in the statutory declaration and that the manufacturer conforms to a quality control program as required by the CSA B51 code.

For applicable fees please refer to the fee schedule located in the left hand menu.

Submissions for registration can be made to Technical Safety Authority of Saskatchewan at the following address:

Technical Safety Authority of Saskatchewan
2202 2nd Ave.
REGINA SK S4R 1K3

Please Note - We are currently unable to accept Designs submitted by fax or other electronic means (email), however we are working hard to accomodate online application and payment in the future!

Notes

Design registration will be denoted by the Canadian Registration Number (CRN) assigned to the design. Any number of units may be made to one registered design, unless the code or regulations change to invalidate the registered design or unless the registration limits the number of units that may be built to the design. Registrations of fittings shall be resubmitted for validation ten years after the date of first acceptance.

Please Note - It is not necessary that the drawings be stamped by a registered Professional Engineer unless the code or design reviewer requires such stamping.

Exemptions from Registration Requirements of Fittings

A fitting is not required to be registered in Saskatchewan pursuant to The Boiler and Pressure Vessel Act if:

- It is registered by CSA (Contact: Janet Townsend)

CSA International
178 Rexdale Boulevard
Toronto, ON M9W 1R3
Ph: 416.747.4291
Fax: 416.401.6795
Email: janet.townsend@csagroup.org; or

- • It is a category A, B, C, or G fitting, as set out in the CSA B51 code

For more information contact:

Boiler & Pressure Vessel Safety

Ph: 306.798.7111

Toll-free: 1.866.530.8599

Fax: 306.787.9273